

SUPPLEMENTARY MATERIAL TO
**Electrochemical synthesis and anticancer inhibitory effect of
copper(II)–diclofenac/decanoic acid complexes on
MCF 7 breast cancer cells**

HANISAH ABDUL RAHIM¹, NORAZZIZI NORDIN^{1*}, BADRUL HISHAM YAHAYA²,
YI WEN LYE¹ and AZIZUL HAKIM LAHURI³

¹School of Chemical Sciences, Universiti Sains Malaysia 11800 Gelugor, Pulau Pinang, Malaysia, ²Regenerative Medicine Cluster, Advanced Medical & Dental Institute, Universiti Sains Malaysia, Bertam, 13200 Kepala Batas, Pulau Pinang, Malaysia and ³Department of Science and Technology, Universiti Putra Malaysia Bintulu Campus, P.O. Box 396, Nyabau Road, 97008, Sarawak, Bintulu, Malaysia

J. Serb. Chem. Soc. 90 (5) (2025) 593–607







Fig. S-1. ¹H-NMR spectrum of DF.

* Corresponding author. E-mail: azzizi@usm.my

Fig. S-2. $^1\text{H-NMR}$ spectrum of DA.Fig. S-3. $^{13}\text{C-NMR}$ spectrum of DF.

Fig. S-4. ¹³C-NMR spectrum of DA.