



SUPPLEMENTARY MATERIAL TO
The first evidence of lumiphorbol as a metabolite of the *Euphorbia* species

GORDANA B. KRSTIĆ^{1*}, MILKA B. JADRANIN², DANICA Z. SAVIĆ², VELE V. TEŠEVIĆ¹, NINA M. TODOROVIĆ², LJUBODRAG V. VUJISIĆ¹, and SLOBODAN M. MILOSAVLJEVIĆ^{1,3}

¹University of Belgrade – Faculty of Chemistry, Studentski trg 12-16, 11158 Belgrade, Serbia,

²University of Belgrade – Institute of Chemistry, Technology and Metallurgy, National Institute of the Republic of Serbia, Njegoševa 12, 11000 Belgrade, Serbia, and ³ Serbian Academy of Science and Arts, 11000 Belgrade, Serbia.

Contents

Figure S1: ¹ H-NMR (500 MHz, CDCl ₃) spectrum of compound 1	2
Figure S2: ¹³ C-NMR (500 MHz, CDCl ₃) spectrum of compound 1	3
Figure S3: HSQC (500 MHz, CDCl ₃) spectrum of compound 1	4
Figure S4: COSY (500 MHz, CDCl ₃) spectrum of compound 1	5
Figure S5: HMBC (500 MHz, CDCl ₃) spectrum of compound 1	6
Figure S6: NOESY (500 MHz, CDCl ₃) spectrum of compound 1	7
Figure S7: HRMS data of compound 1	8

* Corresponding author. E-mail: gkrstic@chem.bg.ac.rs




Figure S1: ^1H -NMR (500 MHz, CDCl_3) spectrum of compound 1




Figure S2: ^{13}C -NMR (500 MHz, CDCl_3) spectrum of compound 1




Figure S3: HSQC (500 MHz, CDCl_3) spectrum of compound 1

SUPPLEMENTARY MATERIAL




Figure S4: COSY (500 MHz, CDCl_3) spectrum of compound 1




Figure S5: HMBC (500 MHz, CDCl_3) spectrum of compound 1

SUPPLEMENTARY MATERIAL




Figure S6: NOESY (500 MHz, CDCl_3) spectrum of compound 1




Figure S7: HRMS data of compound 1