

SUPPLEMENTARY MATERIAL TO
Improving stability of cerium oxide nanoparticles by microbial polysaccharides coating

IVANA MILENKOVIĆ^{1*}, KSENIJA RADOTIĆ², BRANKO MATOVIĆ³, MARIJA PREKAJSKI³, LJILJANA ŽIVKOVIĆ⁴, DRAGICA JAKOVLJEVIĆ⁵, GORDANA GOJIĆ-CVIJOVIĆ^{5#} and VLADIMIR BEŠKOSKI^{6#}

¹Department of Life Sciences, Institute for Multidisciplinary Research, University of Belgrade, Kneza Višeslava 1, 11000 Belgrade, Serbia, ²Department of Life Sciences, Institute for Multidisciplinary Research, University of Belgrade, Kneza Višeslava 1, 11000 Belgrade, Serbia, ³Department of Material Science, Vinča Institute of Nuclear Sciences, 11001 Belgrade, Serbia, ⁴Department of Chemical Dynamics, Vinča Institute of Nuclear Sciences, 11001 Belgrade, Serbia, ⁵Institute of Chemistry, Technology and Metallurgy, University of Belgrade, Njegoševa 12, 11000 Belgrade, Serbia and ⁶Department of Biochemistry, Faculty of Chemistry, University of Belgrade, Studentski trg 12–16, 11000 Belgrade, Serbia

J. Serb. Chem. Soc. 83 (6) (2018) 745–757




Fig. S-1. Enlarged FT-IR spectra region from 3000 to 2800 cm^{-1} of uncoated and CONPs coated with glucose, levan and pullulan by the SC method at 100 °C during 6 h.

* Corresponding author. E-mail: ivana.milenkovic@imsi.rs