

SUPPLEMENTARY MATERIAL TO
**Study of carbon dioxide and methane adsorption on carbon
molecular sieves, raw and modified by waste engine oil**

REZA ZAHEDI¹, HOSSEIN GHAFOURIAN^{2*}, YAHYA ZAMANI³,
SHAHRZAD KHORAMNEJHADIAN¹ and REZA DABBAGH⁴

¹Department of Environment, Damavand Branch, Islamic Azad University, Damavand, Iran,

²Department of Environment Engineering, Tehran North Branch, Islamic Azad University,

Tehran, Iran, ³Gas Research Division Research Institute of Petroleum Industry (RIPI),

Tehran, Iran and ⁴Materials & Nuclear Fuel Research School, Nuclear Sciences &
Technology Research Institute (NSTRI), Tehran, Iran

J. Serb. Chem. Soc. 85 (8) (2020) 1083–1093




Fig. S-1. CO₂ adsorption capacity on the group CMS_(R-2) adsorbents.

* Corresponding author. E-mail: h_ghaforian@iau-tnb.ac.ir




Fig. S-2. CO₂ adsorption capacity on the group CMS_(R-3) adsorbents.




Fig. S-3. CH₄ adsorption capacity on the group CMS_(R-2) adsorbents.




Fig. S-4. CH₄ adsorption capacity on the group CMS(R-3) adsorbents.




Fig. S-5. CO₂ adsorption capacity on the group CMS(A-2) adsorbents.




Fig. S-6. CO₂ adsorption capacity on the group CMS_(A-3) adsorbents.




Fig. S-7. CH₄ adsorption capacity on the group CMS_(A-2) adsorbents.




Fig. S-8. CH₄ adsorption capacity on the group CMS_(A-3) adsorbents.