

SUPPLEMENTARY MATERIAL TO  
**Evaluation of laterite as a filter media to remove arsenic from groundwater**

HAFZA RUQYA MAQSOOD<sup>1</sup>, SHAH RUKH<sup>2\*</sup>, MUHAMMAD IMRAN<sup>1</sup>, AYAZ MEHMOOD<sup>3</sup>, WAZIR AHMAD<sup>1</sup>, AMAR MATLOOB<sup>4</sup>, HAFIZ SHAHZAD AHMAD<sup>1</sup>, AHMAD KHAN<sup>5</sup> and SUNDUS AROOJ BUTT<sup>5</sup>

<sup>1</sup>Department of Soil and Environmental Sciences, MNS-University of Agriculture, Multan, Pakistan, <sup>2</sup>National Center of Excellence in Geology, University of Peshawar, Pakistan,

<sup>3</sup>Department of Soil and Climate Sciences, University of Haripur, Haripur, Pakistan,

<sup>4</sup>Department of Agronomy, MNS-University of Agriculture, Multan, Pakistan and

<sup>5</sup>Institute of Soil Science, PMAS-Arid Agriculture University Rawalpindi, Pakistan

J. Serb. Chem. Soc. 86 (2) (2021) 195–207




Fig. S-1. The changes in parameters (EC, pH, Cl<sup>-</sup>, SO<sub>4</sub><sup>2-</sup>, TDS and Na) with the experimental days.

\* Corresponding author. E-mail: shahrkh.nceg@uop.edu.pk




Fig. S-2. Variations in K, Ca, NO<sub>3</sub><sup>-</sup> and HCO<sub>3</sub><sup>-</sup> content with the experimental days.